

NORTH

OVERALL BUILDING PLAN w/ PHOTO REFERENCES


SCALE: $\frac{1}{16}" = 1'-0"$

[illegible]

Dept. of Veterans Affairs
Medical Center
5000 W. National Avenue
Milwaukee, WI



KEY PLAN:



CONSULTANTS:

PROJECT LEADER:



Drawing Title	Overall Building Plan with Photo References
---------------	---

Approved: Project Director

Project Title
Building No. 6
FCA Deficiency Corrections

Location	VA Medical Center, Milwaukee, WI
----------	----------------------------------

Date
05 February 2014

Checked By:	NJM
-------------	-----

Drawn By:
KAB

Project Number	695-13-111
Building Number	6

	Drawing Number

Office of
Facilities
Management




100% CONSTRUCTION DOCUMENTS

three inches = one foot
one and one half inches = one foot
one inch = one foot
one half inch = one foot
three quarters inch = one foot
one half inch = one foot
three eighths inch = one foot
one quarter inch = one foot
one eighth inch = one foot



SEE SHEETS A203 THRU A205 FOR TUCKPOINTING LOCATIONS & NOTES.


P1 'A' WING - NORTH ELEVATION
N.T.S.



REMOVE DAMAGED ORIGINAL RAILING. REPLACE WITH NEW RAILING TO MATCH ORIGINAL PAINT BLACK.

REMOVE EXISTING RAILING. REPLACE WITH NEW RAILING TO MATCH ADJACENT ORIGINAL RAILING.


P2 'A' WING - NORTH STAIR
N.T.S.



REMOVE DAMAGED ORIGINAL RAILING. REPLACE WITH NEW RAILING TO MATCH ORIGINAL PAINT BLACK.

REMOVE EXISTING RAILING. REPLACE WITH NEW RAILING TO MATCH ADJACENT ORIGINAL RAILING.

P3 'A' WING - NORTH STAIR RAILING
N.T.S.




CLEAN MASONRY, TYP. AT ALL LOCATIONS. SEE SHTS. A203 THRU A205 FOR TUCKPOINTING LOCATIONS & NOTES.

P4 'A' WING - NORTH ELEVATION
N.T.S.



REMOVE STAINS FROM MASONRY USING GENTLEST MEANS POSSIBLE. PER SPEC SECTION 04 50 00 "MASONRY RESTORATION & CLEANING".

P5 'A' WING - NORTH ELEV. DTL.
N.T.S.



EXISTING STORM WINDOWS TO REMAIN. REPAIR GLAZING & SCREENS WHERE DAMAGED. TYP. @ ALL STORM WINDOWS.

REMOVE, REPAIR, REGLAZE, CLEAN, PRIME & PAINT EXIST. WINDOW SASHES. WORK TO BE PERFORMED FROM INTERIOR OF BUILDING. COLOR TBD. TYP. @ ALL WINDOWS.

CLEAN MASONRY, TYP. AT ALL LOCATIONS. SEE SHTS. A203 THRU A205 FOR TUCKPOINTING LOCATIONS & NOTES.

P6 'A' WING - EAST ELEVATION
N.T.S.



EXISTING MECHANICAL VENT HOODS TO REMAIN, TYP. AT ALL LOCATIONS.

SCRAPE, REPAIR, PRIME AND REPAINT "WHITE" ALL WOOD SURFACES, TYP. @ ALL WOOD PORCHES.

EXISTING LOUVER TO REMAIN, TYP. AT ALL LOCATIONS.

P7 'A' WING - EAST ELEVATION
N.T.S.



SCRAPE, REPAIR, PRIME AND REPAINT "WHITE" ALL WOOD SURFACES, TYP. @ ALL WOOD PORCHES.

EXISTING MECHANICAL VENT HOODS TO REMAIN, TYP. AT ALL LOCATIONS.

P08 'A' WING - EAST ELEVATION
N.T.S.



SEE WINDOW SCHEDULE FOR RESTORATION NOTES.

SCRAPE, REPAIR, PRIME AND REPAINT "WHITE" ALL WOOD SURFACES, TYP. @ ALL WOOD PORCHES.

SANDBLAST, REPAIR, PRIME & REPAINT ALL METAL RAILINGS, TYP. AT ALL LOCATIONS. IF SANDBLASTING IS DONE IN PLACE, PROTECT ALL ADJACENT NON-METAL SURFACES FROM DAMAGE.

REMOVE PAINT FROM BRICK SURFACES, TYP. @ ALL LOCATIONS. INSPECT MASONRY & VERIFY W/ COR THE EXTENT OF ADDITIONAL TUCKPOINTING. SEE SCOPE NOTES ON A100.

EXISTING WOOD STAIR TO REMAIN. SCRAPE, REPAIR, PRIME & REPAINT.

P09 'A' WING - SOUTH ELEVATION
N.T.S.



SCRAPE, REPAIR, PRIME AND REPAINT "WHITE" ALL WOOD SURFACES, TYP. @ ALL WOOD PORCHES.

SANDBLAST, REPAIR, PRIME & REPAINT ALL METAL RAILINGS, TYP. AT ALL LOCATIONS. IF SANDBLASTING IS DONE IN PLACE, PROTECT ALL ADJACENT NON-METAL SURFACES FROM DAMAGE.

REMOVE PAINT FROM BRICK SURFACES, TYP. @ ALL LOCATIONS. INSPECT MASONRY & VERIFY W/ COR THE EXTENT OF ADDITIONAL TUCKPOINTING. SEE SCOPE NOTES ON A100.

P10 'A' WING - SW ELEVATION
N.T.S.



REMOVE PAINT FROM BRICK SURFACES, TYP. @ ALL LOCATIONS. INSPECT MASONRY & VERIFY W/ COR THE EXTENT OF ADDITIONAL TUCKPOINTING. SEE SCOPE NOTES ON A100.

SANDBLAST, REPAIR, PRIME & REPAINT ALL METAL RAILINGS, TYP. AT ALL LOCATIONS. IF SANDBLASTING IS DONE IN PLACE, PROTECT ALL ADJACENT NON-METAL SURFACES FROM DAMAGE.

SCRAPE, REPAIR, PRIME AND REPAINT "WHITE" ALL WOOD SURFACES, TYP. @ ALL WOOD PORCHES.

EXISTING WOOD RAMP TO REMAIN. SCRAPE, REPAIR, PRIME & REPAINT "WHITE" ALL WOOD SURFACES.

REMOVE EXISTING LATTICE SCREEN AT 'A' WING.

P11 'A' WING - WEST ELEVATION
N.T.S.



SEE WINDOW SCHEDULE FOR RESTORATION NOTES.

REMOVE EXISTING TIN PANELS. REPAIR, PRIME & PAINT NEWLY EXPOSED WOOD STRUCTURE.

SCRAPE, REPAIR, PRIME AND REPAINT "WHITE" ALL WOOD SURFACES, TYP. @ ALL WOOD PORCHES.

REMOVE PAINT FROM BRICK SURFACES, TYP. @ ALL LOCATIONS. INSPECT MASONRY & VERIFY W/ COR THE EXTENT OF ADDITIONAL TUCKPOINTING. SEE SCOPE NOTES ON A100.

SANDBLAST, REPAIR, PRIME & REPAINT ALL METAL RAILINGS, TYP. AT ALL LOCATIONS. IF SANDBLASTING IS DONE IN PLACE, PROTECT ALL ADJACENT NON-METAL SURFACES FROM DAMAGE.

EXISTING WOOD STAIR TO REMAIN. SCRAPE, REPAIR, PRIME & REPAINT.

REMOVE EXISTING LATTICE SCREEN WHERE IT EXISTS @ 'A' WING.

P12 'A' WING - WEST ELEVATION
N.T.S.



EXISTING MECHANICAL VENT HOODS TO REMAIN, TYP. AT ALL LOCATIONS.

SCRAPE, REPAIR, PRIME AND REPAINT "WHITE" ALL WOOD SURFACES, TYP. @ ALL WOOD PORCHES.

SANDBLAST, REPAIR, PRIME & REPAINT ALL METAL RAILINGS, TYP. AT ALL LOCATIONS. IF SANDBLASTING IS DONE IN PLACE, PROTECT ALL ADJACENT NON-METAL SURFACES FROM DAMAGE.

REMOVE EXISTING WOOD RAMP STRUCTURE & RAILINGS. REPLACE WITH NEW WOOD STAIR, LANDING & RAILINGS. REUSE EXISTING CONCRETE POSTS WHERE POSSIBLE. SEE SHT. A400 FOR DETAILS.

P13 'A' WING - WEST ELEVATION
N.T.S.



SANDBLAST, REPAIR, PRIME & REPAINT ALL METAL RAILINGS, TYP. AT ALL LOCATIONS. IF SANDBLASTING IS DONE IN PLACE, PROTECT ALL ADJACENT NON-METAL MATERIALS FROM DAMAGE.

REMOVE EXISTING WOOD RAMP STRUCTURE & RAILINGS. REPLACE WITH NEW WOOD STAIR, LANDING & RAILINGS. REUSE EXISTING CONCRETE POSTS WHERE POSSIBLE. SEE SHT. A400 FOR DETAILS.

P14 'A' WING - WEST RAMP DETAIL
N.T.S.



SERUITE DOWNSPOUT AGAINST CHIMNEY. ATTACH TO CHIMNEY AT MORTOR JTS.

SCRAPE, REPAIR, PRIME AND REPAINT "WHITE" ALL WOOD SURFACES, TYP. @ ALL WOOD PORCHES.

REMOVE EXIST. ROOF & SUPPORTS. PATCH & REPAIR WALL WHERE REMOVED.

EXISTING WOOD RAMP TO REMAIN. REPAIR, PRIME & REPAINT "WHITE" ALL WOOD SURFACES.

SANDBLAST, REPAIR, PRIME & REPAINT ALL METAL RAILINGS, TYP. AT ALL LOCATIONS. IF SANDBLASTING IS DONE IN PLACE, PROTECT ALL ADJACENT NON-METAL SURFACES FROM DAMAGE.

EXISTING WOOD STAIR & RAILING TO REMAIN. SCRAPE, REPAIR, PRIME & REPAINT.

P15 'A' WING - NORTH PORCH ELEV.
N.T.S.




CLEAN MASONRY, TYP. AT ALL LOCATIONS. SEE SHTS. A203 THRU A205 FOR TUCKPOINTING LOCATIONS & NOTES.

SEE DOOR SCHEDULE FOR REPAIR NOTES.

SANDBLAST, REPAIR, PRIME & REPAINT ALL METAL RAILINGS, TYP. AT ALL LOCATIONS. IF SANDBLASTING IS DONE IN PLACE, PROTECT ALL ADJACENT NON-METAL SURFACES FROM DAMAGE.

EXISTING CONCRETE STAIR TO REMAIN. REPAIR AS REQ'D.


P16 'AB' CONNECTOR - NORTH ELEV.
N.T.S.



REMOVE EMBEDDED IRON WHERE IT IS NO LONGER IN USE.


CLEAN MASONRY, TYP. AT ALL LOCATIONS. SEE SHTS. A203 THRU A205 FOR TUCKPOINTING LOCATIONS & NOTES.

P17 'AB' CONNECTOR - NE ELEV.
N.T.S.




CLEAN MASONRY, TYP. AT ALL LOCATIONS. SEE SHTS. A203 THRU A205 FOR TUCKPOINTING LOCATIONS & NOTES.

P18 'AB' CONNECTOR - NE ELEV.
N.T.S.



CLEAN MASONRY, TYP. AT ALL LOCATIONS. SEE SHTS. A203 THRU A205 FOR TUCKPOINTING LOCATIONS & NOTES.

P19 'AB' CONNECTOR - SOUTH ELEV.
N.T.S.



CLEAN MASONRY, TYP. AT ALL LOCATIONS. SEE SHTS. A203 THRU A205 FOR TUCKPOINTING LOCATIONS & NOTES.

EXISTING CONCRETE STAIR TO REMAIN. REPAIR AS REQ'D.

REMOVE & RESET EXISTING WALL CAPS.

P20 'AB' CONNECTOR - SOUTH ELEV.
N.T.S.




CLEAN MASONRY, TYP. AT ALL LOCATIONS. SEE SHTS. A203 THRU A205 FOR TUCKPOINTING LOCATIONS & NOTES.

SEE DOOR SCHEDULE FOR REPAIR NOTES.

REPAIR RETAINING WALLS AS REQUIRED. REMOVE & RESET EXISTING WALL CAPS WHERE THEY ARE LOOSE.

EXISTING CONCRETE STAIR TO REMAIN. REPAIR AS REQ'D.

P21 'AB' CONNECTOR - SOUTH ELEV.
N.T.S.




CLEAN MASONRY, TYP. AT ALL LOCATIONS. SEE SHTS. A203 THRU A205 FOR TUCKPOINTING LOCATIONS & NOTES.

SEE DOOR SCHEDULE FOR REPAIR NOTES.

SANDBLAST, REPAIR, PRIME & REPAINT ALL METAL RAILINGS, TYP. AT ALL LOCATIONS. IF SANDBLASTING IS DONE IN PLACE, PROTECT ALL ADJACENT NON-METAL SURFACES FROM DAMAGE.

EXISTING CONCRETE RAMP & RETAINING WALLS TO REMAIN. REPAIR AS REQ'D.

22 'B' WING - NORTH ELEVATION
N.T.S.



CLEAN MASONRY, TYP. AT ALL LOCATIONS. SEE SHTS. A203 THRU A205 FOR TUCKPOINTING LOCATIONS & NOTES.


EXISTING CONCRETE STAIR TO REMAIN. REPAIR AS REQ'D.

P23 'B' WING - NE CORNER
N.T.S.



REMOVE EXISTING WOOD STAIR, PLATFORM & RAILING. REPLACE WITH NEW WOOD STAIRS, PLATFORM & WROUGHT IRON RAILINGS. SEE SHT. A400 FOR DETAILS.

P24 'B' WING - EAST STAIR
N.T.S.



WHERE FLASHINGS HAVE BEEN REPLACED AND TAR RESIDUE EXISTS, TAR LINES SHALL BE HAND SCRAPPED TO MINIMIZE THEIR VISUAL EFFECTS, AND WILL BE CLEANED WITH CHEMICAL CLEANERS PER SPECS.

CLEAN MASONRY, TYP. AT ALL LOCATIONS. SEE SHTS. A203 THRU A205 FOR TUCKPOINTING LOCATIONS & NOTES.

EXISTING STORM WINDOWS TO REMAIN. REPAIR GLAZING & SCREENS WHERE DAMAGED.

REMOVE, REPAIR, REGLAZE, CLEAN, PRIME & PAINT EXIST. WINDOW SASHES. WORK TO BE PERFORMED FROM INTERIOR OF BUILDING.

REMOVE EXISTING WOOD STAIR, PLATFORM & RAILING. REPLACE WITH NEW WOOD STAIRS, PLATFORM & WROUGHT IRON RAILINGS. SEE SHT. A400 FOR DETAILS.

P25 'B' WING - EAST ELEVATION
N.T.S.



EXISTING STORM WINDOWS TO REMAIN. REPAIR GLAZING & SCREENS WHERE DAMAGED. TYP. @ ALL STORM WINDOWS.

REMOVE, REPAIR, REGLAZE, CLEAN, PRIME & PAINT EXIST. WINDOW SASHES. WORK TO BE PERFORMED FROM INT. OF BUILDING. COLOR TBD. TYP. @ ALL WINDOWS.

SCRAPE, REPAIR, PRIME AND REPAINT "WHITE" ALL WOOD SURFACES, TYP. @ ALL WOOD PORCHES.

EXISTING MECHANICAL VENT HOODS TO REMAIN, TYP. AT ALL LOCATIONS.

P26 'B' WING - EAST ELEVATION
N.T.S.



CLEAN MASONRY, TYP. AT ALL LOCATIONS. SEE SHTS. A203 THRU A205 FOR TUCKPOINTING LOCATIONS & NOTES.

SCRAPE, REPAIR, PRIME AND REPAINT "WHITE" ALL WOOD SURFACES, TYP. @ ALL WOOD PORCHES.

EXISTING MECHANICAL VENT HOODS TO REMAIN, TYP. AT ALL LOCATIONS.

REPAIR/PATCH EXISTING LATTICE SCREEN WHERE IT EXISTS @ 'B' WING. PAINT.

P27 'B' WING - SOUTH ELEVATION
N.T.S.



WHERE FLASHINGS HAVE BEEN REPLACED AND TAR RESIDUE EXISTS, TAR LINES SHALL BE HAND SCRAPPED TO MINIMIZE THEIR VISUAL EFFECTS, AND WILL BE CLEANED WITH CHEMICAL CLEANERS PER SPECIFICATIONS.

REMOVE ROOF ABOVE DOOR. PATCH WALL WHERE ROOF IS REMOVED.






SEE DOOR SCHEDULE FOR REPAIR NOTES.


SCRAPE, REPAIR, PRIME AND REPAINT "WHITE" ALL WOOD SURFACES, TYP. @ ALL WOOD PORCHES.

SANDBLAST, REPAIR, PRIME & REPAINT FIRE ESCAPES. IF SANDBLASTING IS DONE IN PLACE, PROTECT ALL ADJACENT NON-METAL SURFACES FROM DAMAGE.


P28 'B' WING - WEST ELEVATION
N.T.S.

100% CONSTRUCTION DOCUMENTS

 Dept. of Veterans Affairs Medical Center 5000 W. National Avenue Milwaukee, WI		KEY PLAN: 	CONSULTANTS:	PROJECT LEADER:  Chequamegon Boy Group, Inc. ASHLAND, WI • MILWAUKEE, WI • MADISON, WI • DELUTH, MN 715.485.1851 • 715.485.1852 • 715.485.1853 • 715.485.1854	Drawing Title Existing Building Photos w/ Scopes of Work		Project Title Building No. 6 FCA Deficiency Corrections		Project Number 695-13-111		Office of Facilities Management  Department of Veterans Affairs
					Approved: Project Director		Location VA Medical Center, Milwaukee, WI		Building Number 6		
					Date 05 February 2014		Checked By: NJM		Drawn By: KAB		
									Drawing Number A200		
Revisions:		Date									



P35 'C' WING - SCREEN PORCH
N.T.S.



P42 'C' WING - BRICK VENT DAMAGE
N.T.S.



P49 'C' WING - EAST ALCOVE
N.T.S.



P56 'C' WING - SW ALCOVE
N.T.S.



P57 'CD' CORRIDOR - STAIR
N.T.S.

P58 'D' WING - NORTHE ELEVATION
N.T.S.


P59 'D' WING - NORTH ELEVATION
N.T.S.

P60 'D' WING - PORCH NORTH ELEV.
N.T.S.

P61 'D' WING - EAST PORCH ELEV
N.T.S.

P62 'D' WING - EAST STAIR
N.T.S.

P63 'D' WING - SOUTH ELEVATION
N.T.S.



P64 'D' WING - WEST ELEVATION
N.T.S.

P65 'D' WING - SOUTH ELEVATION
N.T.S.

P66 'D' WING - SW CORNER STAIR
N.T.S.

P67 STONE "ROPE" JOINTS
N.T.S.

three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
one half inch = one foot
three eighths inch = one foot
one eighth inch = one foot




1 'A' WING - NORTH ELEVATION
N.T.S.




2 'A' WING - WEST ELEVATION
N.T.S.




3 'A' WING - SOUTH ELEVATION
N.T.S.




4 'A' WING - EAST ELEV. (SOUTH OF 'AB' CONNECTOR)
N.T.S.




5 'A' WING - EAST ELEVATION (NORTH OF 'AB' CONNECTOR)
N.T.S.




6 'AB' CONNECTOR & 'B' WING - NORTH ELEVATION
N.T.S.



6 'AB' CONNECTOR & 'B' WING - NORTH ELEVATION
N.T.S.




7 'B' WING - WEST ELEV. (NORTH OF 'AB' CONN.)
N.T.S.




8 'B' WING - WEST ELEVATION (SOUTH OF 'AB' CONNECTOR)
N.T.S.




9 'AB' CONNECTOR & 'B' WING - SOUTH ELEVATION
N.T.S.




10 'B' WING - EAST ELEVATION (SOUTH OF 'AB' CONNECTOR)
N.T.S.



11 'B' WING - EAST ELEV. (NORTH OF 'AB' CONNECTOR)
N.T.S.



11 'B' WING - EAST ELEV. (NORTH OF 'AB' CONNECTOR)
N.T.S.



11 'B' WING - EAST ELEV. (NORTH OF 'AB' CONNECTOR)
N.T.S.






TUCKPOINTING GENERAL NOTES:

- REPAIR ALL MORTAR JOINTS WHERE INDICATED ON DWGS. INSPECT ALL BRICK SURFACES TO DETERMINE IF ADDITIONAL TUCKPOINTING IS REQUIRED. ALSO INSPECT ALL AREAS WHERE PAINT HAS BEEN REMOVED AS PART OF THIS CONTRACT. VERIFY WITH COR THE EXTENT OF ANY ADDITIONAL TUCKPOINTING WORK REQUIRED. COST FOR ADDITIONAL WORK SHALL BE BASED ON UNIT PRICES PROVIDED WITH BID. JOINTS SHALL BE TUCKPOINTED WITH NEW MORTAR TO MATCH ORIGINAL AS SPECIFIED IN SECTION 04 05 13, "MASONRY MORTARING".
- CONTRACTOR TO PREPARE TEST AREA AS DESCRIBED IN SPECIFICATION SECTION 04 05 31, "MASONRY TUCKPOINTING" TEST AREA TO BE LOCATED IN AN OBSCURE AREA OF THE BUILDING FOR INSPECTION BY THE STATE HISTORIC PRESERVATION OFFICE (SHPO) OR THEIR AGENT; ALL WORK IS SUBJECT TO THE REVIEW OF THE SHPO.


TUCKPOINTING KEY NOTES:

- REPLACE MISSING, ERODED, OR INAPPROPRIATE MORTAR AT BRICKWORK WITH NEW MORTAR TO MATCH ORIGINAL, PER SPECIFICATION SECTION 04 05 13, "MASONRY MORTARING".
- REPLACE MISSING, ERODED, OR INAPPROPRIATE MORTAR AT STONWORK TO MATCH ORIGINAL. PROVIDE MORTAR "ROPE" JOINTS AT STONE BASE COURSE AS SHOWN IN PHOTO ON A202. PROVIDE MORTAR PER SPECIFICATION SECTION 04 05 13 "MASONRY MORTARING".
- REPLACE MISSING MORTAR @ WINDOW SILL END WITH NEW MORTAR TO MATCH ORIGINAL, PER SPECIFICATION SECTION 04 05 13 "MASONRY MORTARING".
- REPLACE BRICKS WHERE MISSING, DAMAGED OR ERODED TO MATCH ORIGINAL MASONRY. SEE SPECIFICATION SECTION 04 50 00 "MASONRY RESTORATION & CLEANING".
- REMOVE BRICK CORBELING ABOVE WINDOWS TO ACCOMMODATE STEEL LINTEL REPAIR, AS DESCRIBED IN THE SCOPE NOTES ON SHEET A100. AFTER LINTEL REPAIR IS COMPLETE, RECONSTRUCT BRICK CORBELING TO MATCH ORIGINAL CONSTRUCTION.


100% CONSTRUCTION DOCUMENTS

Revisions: Date	 Dept. of Veterans Affairs Medical Center 5000 W. National Avenue Milwaukee, WI		KEY PLAN: 	CONSULTANTS:	PROJECT LEADER:  ASHLAND, WI • MILWAUKEE, WI • MADISON, WI • OLLY, MN (715) 485-0004 • (715) 485-0005 • (715) 485-0006 • (715) 485-0007	Drawing Title Tuckpointing Locations 'A' Wing & 'B' Wing	Project Title Building No. 6 FCA Deficiency Corrections	Project Number 695-13-111 Building Number 6	Office of Facilities Management 
			Approved: Project Director	Location VA Medical Center, Milwaukee, WI	Date 05 February 2014	Checked By: NJM	Drawn By: KAB	Drawing Number A203	



three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
one half inch = one foot
one quarter inch = one foot
three eighths inch = one foot
one eighth inch = one foot



1 'C' WING (NORTH) - NORTH ELEVATION
N.T.S.



2 'C' WING (NORTH) - WEST ELEVATION
N.T.S.




3 'C' WING (NORTH) - SOUTH ELEVATION
N.T.S.



4 'C' WING (NORTH) - COURTYARD ELEVATIONS
N.T.S.



5 'C' WING (NORTH) - BUILDING ADJACENT TO 'BC' CONNECTOR
N.T.S.




7 'C' WING (NORTH) - ALCOVE @ EAST ELEVATION
N.T.S.

TUCKPOINTING GENERAL NOTES:

- REPAIR ALL MORTAR JOINTS WHERE INDICATED ON DWGS. INSPECT ALL BRICK SURFACES TO DETERMINE IF ADDITIONAL TUCKPOINTING IS REQUIRED. ALSO INSPECT ALL AREAS WHERE PAINT HAS BEEN REMOVED AS PART OF THIS CONTRACT. VERIFY WITH COR THE EXTENT OF ANY ADDITIONAL TUCKPOINTING WORK REQUIRED. COST FOR ADDITIONAL WORK SHALL BE BASED ON UNIT PRICES PROVIDED WITH BID. JOINTS SHALL BE TUCKPOINTED WITH NEW MORTAR TO MATCH ORIGINAL AS SPECIFIED IN SECTION 04 05 13, "MASONRY MORTARING".
- CONTRACTOR TO PREPARE TEST AREA AS DESCRIBED IN SPECIFICATION SECTION 04 05 31, "MASONRY TUCKPOINTING". TEST AREA TO BE LOCATED IN AN OBSCURE AREA OF THE BUILDING FOR INSPECTION BY THE STATE HISTORIC PRESERVATION OFFICE (SHPO) OR THEIR AGENT; ALL WORK IS SUBJECT TO THE REVIEW OF THE SHPO.

- TUCKPOINTING KEY NOTES:**
- REPLACE MISSING, ERODED, OR INAPPROPRIATE MORTAR AT BRICKWORK WITH NEW MORTAR TO MATCH ORIGINAL, PER SPECIFICATION SECTION 04 05 13, "MASONRY MORTARING".
 - REPLACE MISSING, ERODED, OR INAPPROPRIATE MORTAR AT STONEMASONRY TO MATCH ORIGINAL. PROVIDE MORTAR "ROPE" JOINTS AT STONE BASE COURSE AS SHOWN IN PHOTO ON A202. PROVIDE MORTAR PER SPECIFICATION SECTION 04 05 13 "MASONRY MORTARING".
 - REPLACE MISSING MORTAR @ WINDOW SILL END WITH NEW MORTAR TO MATCH ORIGINAL, PER SPECIFICATION SECTION 04 05 13 "MASONRY MORTARING".
 - REPLACE BRICKS WHERE MISSING, DAMAGED OR ERODED TO MATCH ORIGINAL MASONRY. SEE SPECIFICATION SECTION 04 50 00 "MASONRY RESTORATION & CLEANING".
 - REMOVE BRICK CORBELING ABOVE WINDOWS TO ACCOMMODATE STEEL LINTEL REPAIR, AS DESCRIBED IN THE SCOPE NOTES ON SHEET A100. AFTER LINTEL REPAIR IS COMPLETE, RECONSTRUCT BRICK CORBELING TO MATCH ORIGINAL CONSTRUCTION.

VA Dept. of Veterans Affairs
Medical Center
5000 W. National Avenue
Milwaukee, WI



CONSULTANTS:

PROJECT LEADER:

Chequamegon
ADVISORY GROUP, LLC
ASHLAND, WI • MILWAUKEE, WI • MADISON, WI • DULUTH, MN
(715) 485-0004 • (715) 485-0005 • (608) 785-4000
WWW.CHEQUAMEGONADVISORYGROUP.COM

Drawing Title
Tuckpointing Locations
'C' Wing North

Approved: Project Director

Project Title
Building No. 6
FCA Deficiency Corrections

Location
VA Medical Center, Milwaukee, WI

Date
05 February 2014

Checked By:
NJM

Drawn By:
KAB

Project Number
695-13-111


Building Number
6

Drawing Number
A204

Office of
Facilities
Management

Department of
Veterans Affairs

three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
one half inch = one foot
three eighths inch = one foot
one quarter inch = one foot
one eighth inch = one foot



1 'C' WING (SOUTH) - WEST ELEVATION
N.T.S.




2 'BC' CONNECTOR & 'C' WING (SOUTH) - SOUTH ELEVATION
N.T.S.




3 'C' WING (SOUTH) - EAST ELEVATION
N.T.S.



4 'D' WING & 'CD' CONNECTOR - NORTH ELEVATION
N.T.S.




5 'D' WING - WEST ELEV. (NORTH OF 'CD' CONN.)
N.T.S.




6 'D' WING - WEST ELEV. (SOUTH OF 'CD' CONNECTOR)
N.T.S.



7 'CD' CONNECTOR & 'D' WING - SOUTH ELEVATION
N.T.S.



8 'D' WING - EAST ELEVATION
N.T.S.








TUCKPOINTING GENERAL NOTES:

- REPAIR ALL MORTAR JOINTS WHERE INDICATED ON DWGS. INSPECT ALL BRICK SURFACES TO DETERMINE IF ADDITIONAL TUCKPOINTING IS REQUIRED. ALSO INSPECT ALL AREAS WHERE PAINT HAS BEEN REMOVED AS PART OF THIS CONTRACT. VERIFY WITH COR THE EXTENT OF ANY ADDITIONAL TUCKPOINTING WORK REQUIRED. COST FOR ADDITIONAL WORK SHALL BE BASED ON UNIT PRICES PROVIDED WITH BID. JOINTS SHALL BE TUCKPOINTED WITH NEW MORTAR TO MATCH ORIGINAL AS SPECIFIED IN SECTION 04 05 13, "MASONRY MORTARING".
- CONTRACTOR TO PREPARE TEST AREA AS DESCRIBED IN SPECIFICATION SECTION 04 05 31, "MASONRY TUCKPOINTING" TEST AREA TO BE LOCATED IN AN OBSCURE AREA OF THE BUILDING FOR INSPECTION BY THE STATE HISTORIC PRESERVATION OFFICE (SHPO) OR THEIR AGENT; ALL WORK IS SUBJECT TO THE REVIEW OF THE SHPO.



TUCKPOINTING KEY NOTES:



- REPLACE MISSING, ERODED, OR INAPPROPRIATE MORTAR AT BRICKWORK WITH NEW MORTAR TO MATCH ORIGINAL, PER SPECIFICATION SECTION 04 05 13, "MASONRY MORTARING".
- REPLACE MISSING, ERODED, OR INAPPROPRIATE MORTAR AT STONEMASONRY TO MATCH ORIGINAL. PROVIDE MORTAR "ROPE" JOINTS AT STONE BASE COURSE AS SHOWN IN PHOTO ON A202. PROVIDE MORTAR PER SPECIFICATION SECTION 04 05 13 "MASONRY MORTARING".
- REPLACE MISSING MORTAR @ WINDOW SILL END WITH NEW MORTAR TO MATCH ORIGINAL, PER SPECIFICATION SECTION 04 05 13 "MASONRY MORTARING".
- REPLACE BRICKS WHERE MISSING, DAMAGED OR ERODED TO MATCH ORIGINAL MASONRY. SEE SPECIFICATION SECTION 04 50 00 "MASONRY RESTORATION & CLEANING".
- REMOVE BRICK CORBELING ABOVE WINDOWS TO ACCOMMODATE STEEL LINTEL REPAIR, AS DESCRIBED IN THE SCOPE NOTES ON SHEET A100. AFTER LINTEL REPAIR IS COMPLETE, RECONSTRUCT BRICK CORBELING TO MATCH ORIGINAL CONSTRUCTION.






100% CONSTRUCTION DOCUMENTS



Revisions:	Date	 Dept. of Veterans Affairs Medical Center 5000 W. National Avenue Milwaukee, WI		KEY PLAN: 	CONSULTANTS:	PROJECT LEADER: 	Drawing Title Tuckpointing Locations 'C' Wing South & 'D' Wing	Project Title Building No. 6 FCA Deficiency Corrections	Project Number 695-13-111 Building Number 6	Office of Facilities Management	
Approved: Project Director		Location VA Medical Center, Milwaukee, WI		Date 05 February 2014		Checked By: NJM		Drawn By: KAB		Drawing Number A205	

three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
one half inch = one foot
three eighths inch = one foot
one quarter inch = one foot
one eighth inch = one foot



SYMBOLS LEGEND	
	WINDOW TAG = B - 1 02 (WING - FLOOR LEVEL + WINDOW NUMBER)
	DOOR TAG = A 2 01 (WING + FLOOR LEVEL + DOOR NUMBER)

 Dept. of Veterans Affairs Medical Center 5000 W. National Avenue Milwaukee, WI			KEY PLAN: 	CONSULTANTS:	PROJECT LEADER:  Chequamegon Bay Group, Inc. ASHLAND, WI • MILWAUKEE, WI • MADISON, WI • OLLUSTON, MN 7700 WISCONSIN WWW.CHEQUAMEGON.COM	Drawing Title 'A' Wing & 'B' Wing Lower Level & 1st Floor Door & Window Ref. Plans Approved: Project Director	Project Title Building No. 6 FCA Deficiency Corrections Location VA Medical Center, Milwaukee, WI Date 05 February 2014 Checked By: NJM Drawn By: KAB	Project Number 695-13-111 Building Number 6 Drawing Number A300	Office of Facilities Management  Department of Veterans Affairs
--	--	--	---	---------------------	--	---	--	---	--




SYMBOLS LEGEND

(B-102)	WINDOW TAG = B · 1 02 (WING - FLOOR LEVEL + WINDOW NUMBER)
(A01)	DOOR TAG = A 2 01 (WING + FLOOR LEVEL + DOOR NUMBER)


100% CONSTRUCTION DOCUMENTS

[illegible]


three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
one half inch = one foot
three eighths inch = one foot
one quarter inch = one foot
one eighth inch = one foot



1 'C' WING & 'D' WING - 2ND FLOOR
SCALE: 1/16" = 1'-0"







2 'C' WING - 3RD FLOOR & 'D' WING - ROOF LEVEL
SCALE: 1/16" = 1'-0"



3 'C' WING - ROOF LEVEL
SCALE: 1/16" = 1'-0"

SYMBOLS LEGEND	
(B-102)	WINDOW TAG = B - 1 02 (WING - FLOOR LEVEL + WINDOW NUMBER)
(A201)	DOOR TAG = A - 2 01 (WING + FLOOR LEVEL + DOOR NUMBER)




100% CONSTRUCTION DOCUMENTS


<div><div>Dept. of Veterans Affairs Medical Center 5000 W. National Avenue Milwaukee, WI</div></div>	<div></div>	<div>KEY PLAN: </div>	<div>CONSULTANTS:</div>	<div>PROJECT LEADER: </div>	<div>Drawing Title 'C' Wing & 'D' Wing 2nd, 3rd & Roof Level Door & Window Ref. Plans</div>	<div>Project Title Building No. 6 FCA Deficiency Corrections</div>	<div>Project Number 695-13-111 Building Number 6</div>	<div>Office of Facilities Management</div>
<div>Revisions: Date</div>	<div>Location VA Medical Center, Milwaukee, WI</div>	<div>Approved: Project Director</div>	<div>Date 05 February 2014</div>	<div>Checked By: NJM</div>	<div>Drawn By: KAB</div>	<div>Drawing Number A303</div>	<div>Department of Veterans Affairs</div>	

GENERAL DOOR NOTES:

- REMOVE RUST FROM ALL EXISTING HINGES SCHEDULED TO REMAIN.
- REMOVE KICKPLATES AT DOOR EXTERIORS.
- ALL EXTERIOR DOOR NUMBERS TO BE REMOVED AND REPLACED WITH NEW

DOOR SCHEDULE													
EXISTING DOOR INFORMATION										DOOR RESTORATION			
PLAN DOOR NO	VA DOOR NO	DOOR ELEVATION REF.	BUILDING WNG	FLOOR	ELEVATION LOCATION	DOUBLE/ SINGLE	TRANSOM ABOVE	EXISTING MATERIAL	EXISTING FINISH	EXISTING GLASS @ DOOR	HARDWARE SET	DOOR RESTORATION NOTES	
A WING													
A001	7	D1/A304	A	LL	NORTH	SINGLE	X	WD	PTD WHITE	1X2 LITE	HW-2	1, 13, 15, 17	
A002		D2/A304	A	LL	EAST	-		WD	PTD WHITE	-	-	5	
A003	6	D3/A304	A	LL	EAST	SINGLE		WD	PTD WHITE	3X3 LITE	HW-2	1, 13	
A101	20	D4/A304	A	1	NORTH	SINGLE	X	WD	PTD WHITE	2X3 LITE	HW-2	1, 10, 13	
A102	16	D5/A304	A	1	SOUTH	SINGLE		WD	PTD WHITE	2X3 LITE	HW-4	1, 11	
A103	17	D6/A304	A	1	SOUTH	DOUBLE		CLR ANOD	FULL LITE	HW-1	-	2	
A104		D7/A304	A	1	WEST	-	X	WD	PTD WHITE	-	-	5, 10	
A105	18	D8/A304	A	1	WEST	DOUBLE	X	ALUM	CLR ANOD	FULL LITE	HW-1	2, 10	
A106		D9/A304	A	1	SOUTH	-		WD	PTD WHITE	-	-	6	
A107	19	D10/A304	A	1	WEST	SINGLE	X	WD	PTD WHITE	HALF LITE	HW-5	5, 10	
A201	32	D11/A304	A	2	SOUTH	SINGLE		WD	PTD WHITE	3X3 LITE	HW-2	1, 11	
A202	33	D12/A304	A	2	SE	SINGLE	X	WD	PTD WHITE	3X3 LITE	HW-2	1, 10, 11	
A203	34	D12/A304	A	2	SW	SINGLE	X	WD	PTD WHITE	3X3 LITE	HW-6	7, 10	
A204	35	D13/A304	A	2	WEST	DOUBLE	X	WD	PTD WHITE	3X3 LITE	HW-7	1, 10, 11	
A205	36	D14/A304	A	2	SOUTH	SINGLE		WD	PTD WHITE	3X2 LITE	HW-2	1, 11	
AB CONNECTOR													
AB001	8	D15/A305	AB CORR	LL	NORTH	DOUBLE	X	WD	PTD WHITE	1X2 LITE/DOOR	HW-2	1, 10	
AB002	5	D16/A305	AB CORR	LL	SOUTH	SINGLE		X	WD	PTD WHITE	3X3 LITE	HW-5	8
B WING													
B001		D17/A305	B	LL	NORTH	SINGLE		HM	PTD	-	HW-1	3	
B101	14	D18/A305	B	1	SOUTH	SINGLE	X	HM	PTD RED	-	HW-1	4, 10	
B102	15	D19/A305	B	1	WEST	SINGLE		WD	PTD WHITE	3X3 LITE	HW-2	1, 11	
B201	31	D19/A305	B	2	WEST	SINGLE		WD	PTD WHITE	3X2 LITE	HW-2	1, 11	
BC CONNECTOR													
BC101	21	D20/A305	BC CORR	1	EAST	SINGLE	X	WD	PTD WHITE	2 LITES/DOOR	HW-2	1, 10, 12	
C WING													
C001	2	D21/A305	C	LL	NORTH	DOUBLE	X	WD	PTD WHITE	3X3 LITE	HW-7	1, 13, 22	
C002		D22/A305	C	LL	SOUTH	SINGLE		HM	PTD	-	HW-1	4	
C003	3	D23/A305	C	LL	EAST	DOUBLE		WD	PTD WHITE	3X3 LITE	HW-7	1, 12, 23	
C004	25	D24/A305	C	LL	EAST	SINGLE		HM	PTD RED	-	HW-1	4	
C005	13	D25/A305	C	LL	WEST	SINGLE	X	HM	PTD BROWN	-	HW-1	4, 10	
C006	10	D26/A305	C	LL	NORTH	DOUBLE		WD	PTD WHITE	-	HW-2	1	
C007	11	D27/A305	C	LL	WEST	SINGLE		WD	PTD WHITE	3X4 LITE	HW-2	1, 12, 18, 20	
C008		D28/A305	C	LL	WEST	SINGLE	X	ALUM	CLR ANOD	FULL LITE	HW-1	2	
C101	24	D29/A305	C	1	NORTH	SINGLE		WD	PTD WHITE	3X3 LITE	HW-2	1, 11	
C102	12	D30/A305	C	1	SOUTH	DOUBLE		ALUM	CLR ANOD	FULL LITE	HW-1	2	
C103		D31/A305	C	1	NW	SINGLE		WD	PTD BLACK	SCREEN	-	21	
C104	22	D32/A305	C	1	NW	SINGLE		WD	PTD WHITE	2X3 LITE	HW-2	1, 11	
C105	23	D33/A305	C	1	WEST	SINGLE		WD	PTD WHITE	3X3 LITE	HW-2	1, 11	
C201	37	D33/A305	C	2	EAST	SINGLE		WD	PTD	1 SMALL LITE	HW-6	9	
C301	41	D34/A305	C	3	EAST	SINGLE		WD	PTD WHITE	HALF LITE	HW-2	-	
C302A		D35/A305	C	3	SOUTH	SINGLE		WD	PTD BROWN	-	-	25	
C302B		D35/A305	C	3	NORTH	SINGLE		WD	PTD WHITE	3X3 LITE	HW-2	1, 11	
C303		D36/A305	C	3	NORTH	SINGLE		WD	PTD BLACK	-	HW-1	4	





D21 DOOR C001
(VA #2)



D28 DOOR C008



D35 DOOR C302A & C302B



41 DOOR D103

three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
three eighths inch = one foot
one half inch = one foot
three sixths inch = one foot
one quarter inch = one foot
one eighth inch = one foot

WINDOW SCHEDULE - 'A' WING					
WINDOW NO.	BUILDING WING	FLOOR	LOCATION	WINDOW TYPE	WINDOW RESTORATION NOTES
LOWER LEVEL					
A-001 THRU A-004	A	LL	NORTH	W1	REPLACE SCREEN @ A-003
A-005 THRU A-012	A	LL	EAST	W1	REPLACE ALL SCREENS. REPAIR BROKEN GLASS @ A-006, A-008, A-009.
A-013 THRU A-014	A	LL	NORTH	W1	REPLACE STORM @ A-014
A-015	A	LL	EAST	W1	
A-016 THRU A-023	A	LL	EAST	W1	
A-024 THRU A-027	A	LL	SOUTH	W1	
A-028 THRU A-044	A	LL	WEST	W1	REPAIR STORM @ A-037
FIRST FLOOR					
A-101	A	1	NW	W2	
A-102 THRU A-105	A	1	NORTH	W3	
A-106 THRU A-112	A	1	EAST	W3	
A-113 THRU A-114	A	1	NORTH	W3	
A-115 THRU A-116	A	1	EAST	W3	INTERIOR INSULATION @ A-115.
A-117 THRU A-118	A	1	EAST	W3	
A-119 THRU A-133	A	1	EAST	W4	MECH. HOOD @ TOP 1/2 OF A-122 & A-125 W/ GLASS BELOW.
A-134 THRU A-135	A	1	SOUTH	W4	
A-136	A	1	EAST	W3	
A-137	A	1	SE	W3	
A-138 THRU A-139	A	1	SOUTH	W5	
A-140 THRU A-146	A	1	WEST	W3	
A-147 THRU A-148	A	1	WEST	W2	
A-149	A	1	NORTH	W3	
A-150 THRU A-163	A	1	WEST	W4	MECH. HOOD @ TOP 1/2 OF A-150 & A-153. PAINT INFILL PANEL BELOW.
SECOND FLOOR					
A-201	A	2	NW	W2	
A-202 THRU A-205	A	2	NORTH	W3	
A-206 THRU A-213	A	2	EAST	W3	REPLACE SCREEN @ A-207 & A-212.
A-214 THRU A-215	A	2	NORTH	W3	INTERIOR INSULATION @ A-215.
A-216 THRU A-217	A	2	EAST	W3	REPLACE MISSING SCREENS.
A-218 THRU A-219	A	2	EAST	W3	
A-220 THRU A-239	A	2	EAST	W6	MECH. HOOD @ TOP 1/2 OF A-220 & A-224 W/ GLASS BELOW.
A-240 THRU A-241	A	2	SOUTH	W6	MTL. GRILLE @ A-232.
A-242	A	2	EAST	W3	
A-243 THRU A-246	A	2	SOUTH	W3	
A-247 THRU A-252	A	2	WEST	W3	
A-253 THRU A-254	A	2	WEST	W2	
A-255 THRU A-256	A	2	SOUTH	W4	
A-257 THRU A-273	A	2	WEST	W4	MECH. HOOD @ TOP 1/2 OF A-258 & A-261. PAINT INFILL PANEL BELOW.
A-274 THRU A-275	A	2	NORTH	W4	REPLACE GLASS @ STORM @ A-271.
THIRD FLOOR					
A-301	A	ROOF	NORTH	W7	RESTORE WINDOW FRAME. NEW GLAZING @ NF.
A-302	A	ROOF	EAST	W8	PAINT INFILL PANELS.
A-303	A	ROOF	EAST	W8	PAINT INFILL PANELS.
A-304	A	ROOF	SOUTH	W9	RESTORE WINDOW FRAME. NEW GLAZING @ NF.
A-305	A	ROOF	WEST	W10	RESTORE WINDOW FRAME. NEW GLAZING @ NF.

WINDOW SCHEDULE - 'AB' CONNECTOR					
WINDOW NO.	BUILDING WING	FLOOR	LOCATION	WINDOW TYPE	WINDOW RESTORATION NOTES
LOWER LEVEL					
AB-001 THRU AB-003	AB CONN.	LL	NORTH	W1	REPLACE GLASS AT STORM @ AB-002.
AB-004 THRU AB-005	AB CONN.	LL	SOUTH	W1	
FIRST FLOOR					
AB-101 THRU AB-103	AB CONN.	1	NORTH	W11	
AB-104 THRU AB-106	AB CONN.	1	SOUTH	W11	
SECOND FLOOR					
AB-201 THRU AB-203	AB CONN.	2	NORTH	W11	
AB-204 THRU AB-206	AB CONN.	2	SOUTH	W11	
























WINDOW SCHEDULE - 'B' WING					
WINDOW NO.	BUILDING WING	FLOOR	LOCATION	WINDOW TYPE	WINDOW RESTORATION NOTES
LOWER LEVEL					
B-001 THRU B-002	B	LL	NORTH	W12	
B-003	B	LL	EAST	W12	
B-004	B	LL	NORTH	W12	
B-005	B	LL	SOUTH	W12	
B-006 THRU B-013	B	LL	EAST	W12	VENT @ B-011.
B-014 THRU B-021	B	LL	WEST	W12	METAL GRILLE @ B-014.
B-022	B	LL	SOUTH	W12	MECH. HOOD @ B-017.
FIRST FLOOR					
B-101 THRU B-103	B	1	NORTH	W2	
B-104	B	1	EAST	W2	
B-105	B	1	NORTH	W2	
B-106 THRU B-113	B	1	EAST	W2	
B-114 THRU B-117	B	1	EAST	W4	MECHANICAL HOOD @ TOP 1/2 OF B-116.
B-118 THRU B-123	B	1	SOUTH	W4	PAINT INFILL PANEL ABOVE.
B-124 THRU B-126	B	1	WEST	W4	
B-127 THRU B-134	B	1	WEST	W2	METAL GRILLE @ B-134.
B-135	B	1	SOUTH	W2	
B-136	B	1	WEST	W2	
SECOND FLOOR					
B-201 THRU B-203	B	2	NORTH	W2	
B-204	B	2	EAST	W2	
B-205	B	2	NORTH	W2	
B-206	B	2	SOUTH	W2	
B-207 THRU B-214	B	2	EAST	W2	
B-215 THRU B-218	B	2	EAST	W4	
B-219 THRU B-224	B	2	SOUTH	W4	
B-225 THRU B-227	B	2	WEST	W2	
B-228 THRU B-235	B	2	WEST	W2	
B-236	B	2	SOUTH	W2	
B-237	B	2	WEST	W2	INFILL PANEL @ TOP 1/3 w/ VENT. PAINT.
ROOF LEVEL					
B-301	B	ROOF	NORTH	W13	EXISTING INFILL PANEL w/ VENT. PAINT.
B-302 THRU B-303	B	ROOF	EAST	W14	PAINT EXISTING INFILL PANEL.
B-304 THRU B-305	B	ROOF	EAST	W15	PAINT EXISTING INFILL PANEL.
B-306	B	ROOF	SOUTH	W16	PAINT EXISTING INFILL PANEL.
B-307 THRU B-308	B	ROOF	WEST	W15	PAINT EXISTING INFILL PANEL.
B-309 THRU B-310	B	ROOF	WEST	W14	PAINT EXISTING INFILL PANEL.

WINDOW SCHEDULE - 'BC' CONNECTOR					
WINDOW NO.	BUILDING WING	FLOOR	LOCATION	WINDOW TYPE	WINDOW RESTORATION NOTES
LOWER LEVEL					
BC-001 THRU BC-002	BC CONN.	LL	NORTH	W12	
BC-003 THRU BC-009	BC CONN.	LL	SOUTH	W12	REPAIR BROKEN GLASS @ STORM. BC-003.
FIRST FLOOR					
BC-101 THRU BC-103	BC CONN.	1	NORTH	W17	
BC-104 THRU BC-108	BC CONN.	1	SOUTH	W17	
SECOND FLOOR					
BC-201 THRU BC-203	BC CONN.	2	NORTH	W18	
BC-204 THRU BC-208	BC CONN.	2	SOUTH	W18	

WINDOW SCHEDULE - 'C' WING					
WINDOW NO.	BUILDING WING	FLOOR	LOCATION	WINDOW TYPE	WINDOW RESTORATION NOTES
LOWER LEVEL					
C-001	C	LL	NORTH	W19	
C-002	C	LL	NORTH	W20	
C-003	C	LL	SOUTH	W19	
C-004 THRU C-007	C	LL	EAST	W19	
C-008	C	LL	EAST	W21	
C-009 THRU C-010	C	LL	NORTH	W2	
C-010	C	LL	NORTH	W17	
C-011 THRU C-012	C	LL	EAST	W2	
C-013	C	LL	SOUTH	W17	
C-014	C	LL	EAST	W17	
C-015	C	LL	EAST	W25	
C-016 THRU C-019	C	LL	EAST	W1	INFILL PANEL w/ MECHANICAL FAN @ TOP 1/2 OF C-017. GLASS BELOW.
C-020 THRU C-021	C	LL	SOUTH	W1	REPAIR BROKEN GLASS @ B-019.
C-022 THRU C-024	C	LL	WEST	W1	REPAIR BROKEN SCREEN @ C-022. PAINT EXISTING INFILL PANEL W/ VENT @ TOP 1/2 OF C-023 & C-024.
C-025	C	LL	SOUTH	W3	
C-026	C	LL	WEST	W3	
C-027	C	LL	WEST	W22	
C-028 THRU C-029	C	LL	WEST	W12	
C-030	C	LL	NORTH	VENT	LOUVERED OPENING
C-031 THRU C-032	C	LL	NORTH	W12	
C-032 THRU C-033	C	LL	EAST	W12	
C-034	C	LL	EAST	W22	
C-035 THRU C-036	C	LL	WEST	W12	
C-037	C	LL	SOUTH	W17	REPLACE BROKEN SCREEN @ STORM.
C-038 THRU C-039	C	LL	SOUTH	W17	
C-040 THRU C-041	C	LL	WEST	W17	PAINT INFILL PANEL @ TOP 1/4 w/ VENT @ C-041. GLASS BELOW.
C-042	C	LL	WEST	W19A	REPLACE MISSING STORM WINDOW. REPAIR WATER DAMAGE @ WOOD WINDOW.
C-043	C	LL	WEST	W19	
C-044 THRU C-045	C	LL	WEST	W19A	REPLACE PLEXIGLASS INFILL W/ GLASS.
C-046	C	LL	WEST	W19	
FIRST FLOOR					
C-101 THRU C-103	C	1	NORTH	W23	
C-104 THRU C-107	C	1	EAST	W23	
C-108 THRU C-110	C	1	EAST	W24	MECHANICAL HOOD @ TOP 1/2 OF C-109 W/ GLASS BELOW.
C-111	C	1	N. ALCOVE	W2	
C-112	C	1	E. ALCOVE	W19	
C-113	C	1	E. ALCOVE	W2	
C-114	C	1	W. ALCOVE	W24	
C-115 THRU C-116	C	1	EAST	W2	MECHANICAL HOOD @ TOP 1/3 OF C-115. GLASS BELOW.
C-117	C	1	SOUTH	W2	
C-118 THRU C-119	C	1	EAST	W2	
C-120 THRU C-121	C	1	EAST	W25	
C-122 THRU C-123	C	1	NORTH	W26	
C-124 THRU C-125	C	1	EAST	W26	
C-126 THRU C-130	C	1	EAST	W17	
C-131 THRU C-132	C	1	SOUTH	W17	
C-133 THRU C-135	C	1	WEST	W17	
C-136	C	1	SOUTH	W17	
C-137	C	1	WEST	W27	
C-138	C	1	WEST	W27	
C-139 THRU C-140	C	1	NORTH	W17	
C-141 THRU C-143	C	1	NORTH	W17	
C-144 THRU C-145	C	1	EAST	W17	
C-146	C	1	EAST	W27	
C-147 THRU C-149	C	1	WEST	W17	
C-150	C	1	SOUTH	W17	METAL GRILLE OVER WINDOW.
C-151	C	1	SOUTH	W2	
C-152 THRU C-153	C	1	SOUTH	W17	
C-154	C	1	SOUTH	W2	
C-155 THRU C-157	C	1	WEST	W23	
C-158	C	1	WEST	W25	
C-159 THRU C-162	C	1	WEST	W23	
SECOND FLOOR					
C-201 THRU C-205	C	2	NORTH	W2	
C-206 THRU C-207	C	2	EAST	W2	
C-208	C	2	SOUTH	W2	
C-209	C	2	SOUTH	W17	
C-210 THRU C-212	C	2	EAST	W18	
C-213 THRU C-217	C	2	EAST	W17	
C-218 THRU C-221	C	2	SOUTH	W17	
C-222 THRU C-225	C	2	WEST	W17	METAL GRILLE @ BOTTOM 1/2 OF C-225.
C-227 THRU C-229	C	2	WEST	W18	VENT IN ARCH INFILL PANEL @ C-228. PAINT.
C-230 THRU C-232	C	2	NORTH	W18	
C-233 THRU C-235	C	2	EAST	W18	
C-236 THRU C-238	C	2	WEST	W18	REPLACE MISSING SCREEN @ C-238.
C-239	C	2	SOUTH	W2	
C-240	C	2	WEST	W2	
C-241 THRU C-244	C	2	SOUTH	W2	
C-245 THRU C-247	C	2	WEST	W2	REPLACE MISSING SCREEN @ C-245.
C-248	C	2	WEST	W26	
C-249	C	2	EAST	W29	
THIRD FLOOR					
C-301 THRU C-307	C	3	NORTH	W30	LOUVERED OPENING @ C-301.
C-308 THRU C-309	C	3	EAST	W30	
C-310	C	3	SOUTH	W30	
C-311	C	3	EAST	W30	
C-312	C	3	SOUTH	W30	
C-313	C	3	NORTH	W17	
C-314 THRU C-318	C	3	EAST	W17	
C-319 THRU C-322	C	3	SOUTH	W17	
C-323 THRU C-327	C	3	WEST	W17	
C-328	C	3	SOUTH	W30	
C-329	C	3	WEST	W30	
C-330 THRU C-333	C	3	SOUTH	W30	LOUVERED OPENING @ C-333.
C-334 THRU C-336	C	3	WEST	W30	LOUVERED OPNG @ C-334, C-336.
ROOF LEVEL					
C-401	C	ROOF	EAST	W31	LOUVERED OPENINGS
C-402	C	ROOF	SOUTH	W32	LOUVER @ CENTRAL OPENING
C-403	C	ROOF	WEST	W33	PAINT INFILL PANELS.


WINDOW SCHEDULE - 'CD' CONNECTOR					
WINDOW NO.	BUILDING WING	FLOOR	LOCATION	WINDOW TYPE	WINDOW RESTORATION NOTES
LOWER LEVEL					
CD-001 THRU CD-004	CD CONN.	LL	NORTH	12	
CD-005 THRU CD-009	CD CONN.	LL	SOUTH	12	PAINT INFILL PANEL @ CD-005.
FIRST FLOOR					
CD-101 THRU CD-105	CD CONN.	1	NORTH	W17	
CD-106 THRU CD-110	CD CONN.	1	SOUTH	W17	
SECOND FLOOR					
CD-201 THRU CD-207	CD CONN.	2	NORTH	W18	
CD-208 THRU CD-212	CD CONN.	2	SOUTH	W18	

WINDOW SCHEDULE - 'D' WING					
WINDOW NO.	BUILDING WING	FLOOR	LOCATION	WINDOW TYPE	WINDOW RESTORATION NOTES
LOWER LEVEL					
D-001 THRU D-002	D	LL	NORTH	W12	
D-003	D	LL	EAST	W12	
D-004 THRU D-005	D	LL	EAST	W12	
D-006	D	LL	SOUTH	W12	

								
	<div>W13 WINDOW TYPE "W13"</div> <div>N.T.S.</div> <div>B' WING - 1 D' WING - 1 TOTAL - 2</div>	<div>W14 WINDOW TYPE "W14"</div> <div>N.T.S.</div> <div>B' WING - 4 D' WING - 2 TOTAL - 6</div>	<div>W15 WINDOW TYPE "W15"</div> <div>N.T.S.</div> <div>B' WING - 4 D' WING - 6 TOTAL - 10</div>	<div>W16 WINDOW TYPE "W16"</div> <div>N.T.S.</div> <div>B' WING - 4 D' WING - 1 TOTAL - 5</div>	<div>W17 WINDOW TYPE "W17"</div> <div>N.T.S.</div> <div>BC CONNECTOR - 8 C' WING - 62 CD CONNECTOR - 10 TOTAL - 80</div>	<div>W18 WINDOW TYPE "W18"</div> <div>N.T.S.</div> <div>BC CONNECTOR - 8 C' WING - 15 CD CONNECTOR - 12 TOTAL - 35</div>	<div>W19 WINDOW TYPE "W19"</div> <div>N.T.S.</div> <div>C' WING - 5 TOTAL - 5</div>	
								
	<div>W19A WINDOW TYPE "W19A"</div> <div>N.T.S.</div> <div>C' WING - 3 TOTAL - 3</div>	<div>W20 WINDOW TYPE "W20"</div> <div>N.T.S.</div> <div>C' WING - 1 TOTAL - 1</div>	<div>W21 WINDOW TYPE "W21"</div> <div>N.T.S.</div> <div>C' WING - 1 TOTAL - 1</div>	<div>W22 WINDOW TYPE "W22"</div> <div>N.T.S.</div> <div>C' WING - 2 TOTAL - 2</div>	<div>W23 WINDOW TYPE "W23"</div> <div>N.T.S.</div> <div>C' WING - 14 TOTAL - 14</div>	<div>W24 WINDOW TYPE "W24"</div> <div>N.T.S.</div> <div>C' WING - 3 TOTAL - 3</div>	<div>W25 WINDOW TYPE "W25"</div> <div>N.T.S.</div> <div>C' WING - 4 TOTAL - 4</div>	
								
	<div>W26 WINDOW TYPE "W26"</div> <div>N.T.S.</div> <div>C' WING - 4 TOTAL - 4</div>	<div>W27 WINDOW TYPE "W27"</div> <div>N.T.S.</div> <div>C' WING - 3 TOTAL - 3</div>	<div>W28 WINDOW TYPE "W28"</div> <div>N.T.S.</div> <div>C' WING - 1 TOTAL - 1</div>	<div>W29 WINDOW TYPE "W29"</div> <div>N.T.S.</div> <div>C' WING - 1 TOTAL - 1</div>	<div>W30 WINDOW TYPE "W30"</div> <div>N.T.S.</div> <div>C' WING - 21 TOTAL - 21</div>	<div>W31 WINDOW TYPE "W31"</div> <div>N.T.S.</div> <div>C' WING - 1 TOTAL - 1</div>	<div>W32 WINDOW TYPE "W32"</div> <div>N.T.S.</div> <div>C' WING - 1 TOTAL - 1</div>	
								
	<div>W33 WINDOW TYPE "W33"</div> <div>N.T.S.</div> <div>C' WING - 1 TOTAL - 1</div>	<div>W34 WINDOW TYPE "W34"</div> <div>N.T.S.</div> <div>C' WING - 1 TOTAL - 1</div>						

three inches = one foot
one and one half inches = one foot
one inch = one foot
three quarters inch = one foot
one half inch = one foot
one quarter inch = one foot
one eighth inch = one foot
one eighth inch = one foot

A
B
C
D
E
F




1 'A' WING STAIR - DEMOLITION
1/4" = 1'-0"

2 'A' WING STAIR - NEW PLAN
1/4" = 1'-0"

3 'A' WING STAIR - SIDE ELEVATION
1/4" = 1'-0"

4 EXISTING RAILING TO REPLICATE (TYP. @ ALL NEW STAIRS)
LOCATED @ ROOFTOP OF CONNECTOR CORRIDOR, 'C' WING

5 NEW RAILING (TYP. @ ALL NEW STAIRS)
1/4" = 1'-0"




6 'B' WING STAIR - DEMOLITION
1/4" = 1'-0"

7 'B' WING STAIR - NEW PLAN
1/4" = 1'-0"

8 'B' WING STAIR - FRONT ELEVATION
1/4" = 1'-0"

9 'B' WING STAIR - SIDE ELEVATION
1/4" = 1'-0"




10 'C' WING STAIR - DEMOLITION
1/4" = 1'-0"

11 'C' WING STAIR - NEW PLAN
1/4" = 1'-0"

12 'C' WING STAIR - SIDE ELEVATION
1/4" = 1'-0"

13 'D' WING SOUTH STAIR - SIDE ELEVATION
1/4" = 1'-0"



14 'D' WING STAIR - DEMOLITION
1/4" = 1'-0"

15 'D' WING STAIR - NEW PLAN
1/4" = 1'-0"

16 'D' WING STAIR - SIDE ELEVATION
1/4" = 1'-0"





17 'D' WING SOUTH STAIR - DEMOLITION
1/4" = 1'-0"


18 'D' WING SOUTH STAIR - NEW PLAN
1/4" = 1'-0"

19 'D' WING SOUTH STAIR - SIDE ELEVATION
1/4" = 1'-0"


20 'D' WING SOUTH STAIR - NEW PLAN
1/4" = 1'-0"

100% CONSTRUCTION DOCUMENTS


 Dept. of Veterans Affairs Medical Center 5000 W. National Avenue Milwaukee, WI		KEY PLAN: 	CONSULTANTS:	PROJECT LEADER: 	Drawing Title Stair Replacement Plans & Elevations	Project Title Building No. 6 FCA Deficiency Corrections	Project Number 695-13-111	Office of Facilities Management	
					Approved: Project Director	Location VA Medical Center, Milwaukee, WI	Building Number 6		Drawing Number A400
Revisions: Date						Date 05 February 2014	Checked By: NJM	Drawn By: KJS	Department of Veterans Affairs




1 TYP. NEW WOOD STAIR SECTION
1/2" = 1'-0"




2 TYP. SECTION @ NEW WOOD LATTICE
1-1/2" = 1'-0"



3 TYP. ELEVATION @ NEW WOOD LATTICE
1-1/2" = 1'-0"



5 LINTEL REPAIR DETAIL
1-1/2" = 1'-0"



4 TYP. PLAN @ NEW WOOD LATTICE
1-1/2" = 1'-0"

Revisions:
Date

Dept. of Veterans Affairs
Medical Center
5000 W. National Avenue
Milwaukee, WI

KEY PLAN:

CONSULTANTS:

PROJECT LEADER:

Drawing Title
Details
Approved: Project Director

Project Title
Building No. 6
FCA Deficiency Corrections
Location
VA Medical Center, Milwaukee, WI
Date
05 February 2014
Checked By:
NJM
Drawn By:
KJS

Project Number
695-13-111
Building Number
6
Drawing Number
A401

Office of
Facilities
Management
Department of
Veterans Affairs

VA FORM 08-6231, OCT 1978